
Office Pod

Data Sheet





Product Variations

Evolution Dome presents a brand new range of high performance, beautifully designed, and practical temporary event structures.

Light weight, easy to setup and remove each of the indoor range comes in its own storage bag and includes everything that is required for use. The fans provided are designed to be low noise. Creatively designed, Evolution Dome products are the worldwide leader in inflatable structures.

The Evolution Dome Office Pod range includes:

Office Pod System

The range includes a very simple to install meeting point or exhibition hub for indoor use, made from strong rip stop nylon with taped seams. Superb curved design, extremely quick to inflate and comes with a storage bag, ground sheet and fan.

Available in the following sizes:

3m wide x 4m deep x 2.4m tall

4m wide x 3m deep x 2.4m tall

5m wide x 4m deep x 2.4m tall

6m wide x 5m deep x 2.4m tall

The Evolution Dome range of structures can be tailored to suit your event needs, we offer branding with options including direct print and replaceable printed covers.












General Arrangement (3x3m)







PLAN VIEW


PERSPECTIVE VIEW





General Arrangement (4x3m)







PLAN VIEW

SIDE VIEW


PERSPECTIVE VIEW






FRONT VIEW


General Arrangement (5x4m)






PLAN VIEW


PERSPECTIVE VIEW







FRONT VIEW


General Arrangement (6x5m)





PLAN VIEW PERSPECTIVE VIEW





FRONT VIEW

Product Capacity

3x3 4x3 5x4 6x5 > Presentation Capacity 26 Seats > Dining/Meeting Capacity 7 Seats 13 Seats 21 Seats > Exhibition Capacity 26 People Table Speakers People standing. Structure Footprint Exhibit

Product specification (3x3m)

UK PACKAGE

• 1 x Structure, 1 x Packing Bag, 1 x Protection Ground Sheet, 1 x 1.5amp fan.

STRUCTURE

Packed Size: • 530mm x 520mm x 560mm (est.)

Packed Weight: • 20kg (est.)

Inflated Size: • External - L3m x W3m x H2.4m

• Internal - L2.4m x W2.4m x H2.4m

Internal Floor Area: • 5.76m2 Entrance/Exit Size: • 0-1m Wide

Fabrics: • PVC, rip stop nylon FR treated

Colours: • White

Please Note: Information is correct at time of publication. Evolution Dome ltd accept no responsibilty for variations in dimensions or weights. Evolution Dome ltd reserve the right to alter any dimentions or weights at any time without prior notice.

POWER & FANS

Fans: • 1 x 1.5amp fan

Min Secure Power: • 16amp C form 1ph OR 1 x 13amp

Fan Weight: • 2kg per fan

Fan Dimensions: • 250mm x 250mm x 150mm

Please Note: It is the responsibility of the client or site management to ensure that the power used for fans is secure and tested. The above power consumption is for fans only and covers no extra electrical items. No other item should be connected to the fan power lines. Evolution Dome ltd accepts no responsibility for damages to equipment or damages to inflatable structures, injuries to persons, or loss of earnings due to electrical power faults.

INSTALLATION & DERIG

Crew: • 1 persons (min)
Set Up Time: • From 5 mins

Inflation Time: • 5 mins for structure when fixed

Derig Time: • From 5 mins

PRODUCT ENHANCEMENTS

• Branding - Temporary (Dacron stickers)/ Permanent / Printed Covers • Lighting • Flooring • All Spares of Basic Package

Product specification (4x3m)

UK PACKAGE

• 1 x Structure, 1 x Packing Bag, 1 x Protection Ground Sheet, 2 x 1.5amp fans.

STRUCTURE

Packed Size: • 540mm x 520mm x 560mm (est.)

Packed Weight: • 25kg (est.)

Inflated Size: • External - L4m x W3m x H2.4m

• Internal - L3.4m x W2.4m x H2.4m

Internal Floor Area: • 8m2

Entrance/Exit Size: • 0-1.3m Wide

Fabrics: • PVC, rip stop nylon FR treated

Colours: • White

Please Note: Information is correct at time of publication. Evolution Dome ltd accept no responsibility for variations in dimensions or weights. Evolution Dome ltd reserve the right to alter any dimensions or weights at any time without prior notice.

POWER & FANS

Fans: • 2 x 1.5amp fans

Min Secure Power: • 16amp C form 1ph OR 1 x 13amp

Fan Weight: • 2kg per fan

Fan Dimensions: • 250mm x 250mm x 150mm

Please Note: It is the responsibility of the client or site management to ensure that the power used for fans is secure and tested. The above power consumption is for fans only and covers no extra electrical items. No other item should be connected to the fan power lines. Evolution Dome ltd accepts no responsibilty for damages to equipment or damages to inflatable structures, injuries to persons, or loss of earnings due to electrical power faults.

INSTALLATION & DERIG

Crew: • 1 persons (min)
Set Up Time: • From 5 mins

Inflation Time: • 5 mins for structure when fixed

Derig Time: • From 5 mins

PRODUCT ENHANCEMENTS

• Branding - Temporary (Dacron stickers)/ Permanent / Printed Covers • Lighting • Flooring • All Spares of Basic Package

Product specification (5x4m)

UK PACKAGE

• 1 x Structure, 1 x Packing Bag, 1 x Protection Ground Sheet, 3 x 1.5amp fans.

STRUCTURE

Packed Size: • 550mm x 520mm x 550mm (est.)

Packed Weight: • 30kg (est.)

Inflated Size: • External - 5m x W4m x H2.4m

• Internal - L4.4m x W3.4m x H2.4m

Internal Floor Area: • 15m2

Entrance/Exit Size: • 0-1.6m Wide

Fabrics: • PVC, rip stop nylon FR treated

Colours: • White

Please Note: Information is correct at time of publication. Evolution Dome ltd accept no responsibilty for variations in dimensions or weights. Evolution Dome ltd reserve the right to alter any dimentions or weights at any time without prior notice.

POWER & FANS

Fans: • 3 x 1.5amp fans.

Min Secure Power: • 16amp C form 1ph OR 1 x 13amp

Fan Weight: • 2kg per fan

Fan Dimensions: • 250mm x 250mm x 150mm

Please Note: It is the responsibility of the client or site management to ensure that the power used for fans is secure and tested. The above power consumption is for fans only and covers no extra electrical items. No other item should be connected to the fan power lines. Evolution Dome ltd accepts no responsibilty for damages to equipment or damages to inflatable structures, injuries to persons, or loss of earnings due to electrical power faults.

INSTALLATION & DERIG

Crew: • 1 persons (min)
Set Up Time: • From 10 mins

Inflation Time: • 20 mins for structure when fixed

Derig Time: • From 10 mins

PRODUCT ENHANCEMENTS

• Branding - Temporary (Dacron stickers)/ Permanent / Printed Covers • Lighting • Flooring • All Spares of Basic Package

Product specification (6x5m)

UK PACKAGE

• 1 x Structure, 1 x Packing Bag, 1 x Protection Ground Sheet, 4 x 1.5amp fans.

STRUCTURE

Packed Size: • 550mm x 520mm x 560mm (est.)

Packed Weight: • 35kg (est.)

Inflated Size: • External - L6mx W5m x H2.4m

• Internal - L5.4mx W4.4m x H2.4m

Internal Floor Area: • 24m2

Entrance/Exit Size: • 0-2m Wide

Fabrics: • PVC, rip stop nylon FR treated

Colours: • White

Please Note: Information is correct at time of publication. Evolution Dome ltd accept no responsibilty for variations in dimensions or weights. Evolution Dome ltd reserve the right to alter any dimentions or weights at any time without prior notice.

POWER & FANS

Fans: • 4 x 1.5amp fans.

Min Secure Power: • 16amp C form 1ph OR 1 x 13amp

Fan Weight: • 2kg per fan

Fan Dimensions: • 250mm x 250mm x 150mm

Please Note: It is the responsibility of the client or site management to ensure that the power used for fans is secure and tested. The above power consumption is for fans only and covers no extra electrical items. No other item should be connected to the fan power lines. Evolution Dome ltd accepts no responsibilty for damages to equipment or damages to inflatable structures, injuries to persons, or loss of earnings due to electrical power faults.

INSTALLATION & DERIG

Crew: • 1 persons (min)
Set Up Time: • From 10 mins

Inflation Time: • 20 mins for structure when fixed

Derig Time: • From 10 mins

PRODUCT ENHANCEMENTS

• Branding - Temporary (Dacron stickers)/ Permanent / Printed Covers • Lighting • Flooring • All Spares of Basic Package

Product Enhancement

Branding

Branding can be applied permanently to any of the inflatable structures at the source of production.

Temporary branding can be added as Dacron adhesive panels at any stage. Please note that not all artwork is suitable for printing on our structure range. It is advised sample artwork be supplied in an .eps format so we can advise the best solution. Full replaceable covers are available to the range. These can be branded and printed to ensure your structure matches your brand.

Bespoke colours and materials

All our structures are manufactured in ripstop nylon and reinforced PVC. As standard they are made in white and grey or fully white. Although a full colour range is available, this may alter lead times and costs.

Other materials are available and we are happy to discuss specific needs / projects and will advise on what we feel is the most appropriate solution. All fabrics are tested for performance of flammability for textiles used in the construction of marquees and similar textiles structures to standards: BS 7837:1996 / BS 5438:1989.

Lighting

As an optional extra we can provide internal LED lighting systems which will transform the look and feel of your inflatable structure. The ambient lighting effect can be either one colour change or mixed to produce your perfect environment.

Flooring

Flooring is available upon request and is offered to suit all event needs. We offer a hard wearing, plastic, snap lock flooring. This offers light weight flooring and ideal for grass and concrete. It can be further enhanced by adding a finishing carpet.

Transport

By its nature an inflatable structure packs down to considerably less than its inflated size. The largest of our range packs down to less than 2M³ which makes the structures ideal to store and use again. Each product will be supplied in its own storage bag and will be easily transported in an out of any venue.

Warranty

Evolution Dome offers a 12 month warranty on the manufacture process and materials if the user manual and install guides are followed. Due to the nature of weather and installation conditions, we reserve the right to carry out an onsite inspection and report which way the warranty will be met.